


TF7120 Seduction



SPECIFICATION SHEET



DESCRIPTION

Bound by lustrous metallic cuffs, a glittering chain of Radiance Crystal Dust beads create endless luxe scenarios.


SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	D800*H870 mm
Light source	Integrated LED
Wattage	75W
Voltage	AC110V
Dimming	Not supported
CRI(Ra)	95+ CRI
Mounting	Hardwired
LED Rated Life	30000 hours
Color Temperature	Warm Light 3000K
Control method	Compatible with common wall switches (not included)
Finishes	Chrome
Shads Details	Clear
Material	Iron, Crystal
Wires Length	cannot adjustable
Certification	UL,CE,CCC,ETL,SAA



SPECIFICATION SHEET



DESCRIPTION

Bound by lustrous metallic cuffs, a glittering chain of Radiance Crystal Dust beads create endless luxe scenarios.


SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	D1200*H1400 mm
Light source	Iintegrated LED
Wattage	129W
Voltage	AC110V
Dimming	Not supported
CRI(Ra)	95+ CRI
Mounting	Hardwired
LED Rated Life	30000 hours
Color Temperature	Warm Light 3000K
Control method	Compatible with common wall switches (not included)
Finishes	Chrome
Shads Details	Clear
Material	Iron, Crystal
Wires Length	cannot adjustable
Certification	UL,CE,CCC,ETL,SAA



SPECIFICATION SHEET



DESCRIPTION

Bound by lustrous metallic cuffs, a glittering chain of Radiance Crystal Dust beads create endless luxe scenarios.


SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	D1200*H1400 mm
Light source	Integrated LED
Wattage	170W
Voltage	AC110V
Dimming	Not supported
CRI(Ra)	95+ CRI
Mounting	Hardwired
LED Rated Life	30000 hours
Color Temperature	Warm Light 3000K
Control method	Compatible with common wall switches (not included)
Finishes	Chrome
Shads Details	Clear
Material	Iron, Crystal
Wires Length	cannot adjustable
Certification	UL,CE,CCC,ETL,SAA



SPECIFICATION SHEET



DESCRIPTION

Bound by lustrous metallic cuffs, a glittering chain of Radiance Crystal Dust beads create endless luxe scenarios.


SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimmensions	D1800*H2550 mm
Light source	Iintegrated LED
Wattage	214W
Voltage	AC110V
Dimming	Not supported
CRI(Ra)	95+ CRI
Mounting	Hardwired
LED Rated Life	30000 hours
Color Temperature	Warm Light 3000K
Control method	Compatible with common wall switches (not included)
Finishes	Chrome
Shads Details	Clear
Material	Iron, Crystal
Wires Length	cannot adjustable
Certification	UL,CE,CCC,ETL,SAA



SPECIFICATION SHEET



DESCRIPTION

Bound by lustrous metallic cuffs, a glittering chain of Radiance Crystal Dust beads create endless luxe scenarios.

SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	D2100*H2700 mm
Light source	Integrated LED
Wattage	241W
Voltage	AC110V
Dimming	Not supported
CRI(Ra)	95+ CRI
Mounting	Hardwired
LED Rated Life	30000 hours
Color Temperature	Warm Light 3000K
Control method	Compatible with common wall switches (not included)
Finishes	Chrome
Shads Details	Clear
Material	Iron, Crystal
Wires Length	cannot adjustable
Certification	UL,CE,CCC,ETL,SAA

